

23/10/2025 12:02 pm BST

Skill Tags: API

Versions

Versions this documentation is relevant for:


• 8.7.0+

List

The Skill – List API call reads existing Users from Eyelit MES-M. The data can be filtered based on the parameters passed in the body of the JSON packet giving the flexibility to search for one or multiple Users.

Using the Skill – List API call has no impact on the data within the given Eyelit MES-M application, it is read-only.

Figure 1 - Logic within SKill-List API Call



Data Prerequisites

There is no data required in Eyelit MES-M to act as a pre-requisite to make the API call to list Skill, although to be able to call the Public API, a Skill must exist in the given Eyelit MES-M environment. It is, therefore, not possible to receive an empty payload in response when calling this endpoint.

Request

Table 1 shows the method and endpoint required to make the API call to list Users.

Table 1 - Outbound Message Detail for Skill - List

Method	URL Structure	Endpoint	
POST	https://[environment].mestec.net	/api/Skill/List	

The body of the payload should follow the format below:

```
"id": 0,
  "name": "string",
  "isActive": true
```

See Table 2 for information on which fields are optional, the appropriate data types and the mappings to fields in Eyelit MES-M

Table 2 - Parameter Information for Skill- List1

Parameter Name	Data Mapping	Data Type	Mandatory	Case Sensitive	Match Type
ID	skill.id	NUMBER	No	N/A	Exact
name	Skill.name	VARCHAR2(50 BYTE)	No	No	Exact
isActive	Skill.isActive	Number	No	No	Exact

Sample Request

See below for sample use cases with examples of the JSON payload format required.

To list Skill where the skill is equal to 'QA test:

```
{
   "name": "QA test"
```

Response

When using the Skill – List API call, if any data has been found in Eyelit MES-M that meets the parameter values passed in the original payload, a JSON payload will be returned containing data in the following structure:

Sample Response

See below for sample use cases with examples of the JSON payload format returned.

No results were found that matched given parameters:

1


skill found that matched given parameters:

```
[
    "id": 338,
    "name": "QA test",
    "description": "",
    "skillType": "System",
    "isActive": true,
    "users": [
      {
        "id": 17 ,
"username": "User1",
        "dateAdded": "2025-06-12T09:01:32.269Z",
        "dateLastUsed": "2025-06-12T09:01:32.269Z",
        "dateExpires": "2025-06-12T09:01:32.269Z"
      },
        "id": 165 ,
        "username": "User2",
        "dateAdded": "2025-06-12T09:01:32.269Z",
        "dateLastUsed": "2025-06-12T09:01:32.269Z",
        "dateExpires": "2025-06-12T09:01:32.269Z"
    ]
 }
]
```

Assign

The Skill – Assign API call attempts to assign a User to a skill. Figure 2 shows the logic used within the skill – Assign API call.

Figure 2 - Logic within Skill-Assign API Call



Prerequisites

When assigning a User to a Skill, both the User and Skill must exist in Eyelit MES-M.

Request

Table 3 shows the method and endpoint required to make the API call to assign a User to a Skill.

Table 3 - Outbound Message Detail for Skill- Assign

Method	URL Structure	Endpoint		
PUT	https://[environment].mestec.net	/api/Skill/Assign		

The body of the payload should follow the format displayed below:

See Table 4 for information on which fields are optional, the appropriate data types and the mappings to fields in Eyelit MES-M.

Table 4 - Parameter Information for Skill - Assign

Table 4 Tarameter Information for Skill Assign					
Parameter Name	Data Mapping	Data Type	Mandatory	Case Sensitive	Match Type
name	Skill.name	VARCHAR2(50)	Yes	No	Exact
User		JSON Array			
id	useraccount.id	Number	No	No	Exact
username	Useraccount.username	VARCHAR2(50)	Yes	No	Exact
dateAdded	User_skill.dateAdded	TIMESTAMP(6)	No	N/A	N/A
dateLastUsed	User_skill.dateLastUsed	TIMESTAMP(6)	No	N/A	
dateExpires	User_skill.dateExpires	TIMESTAMP(6)	No	N/A	

Sample Request

See below for a sample use case to assign a User to a skill. The sample provides an example of the JSON payload format required.

Response

When using the Skill – Assign API call, if the User has been successfully assigned to the Skill, a JSON payload will be returned containing data in the following structure:

Sample Response


See below for sample use cases with examples of the JSON payload format returned.

```
"id": 338,
     "name": "QA test",
     "description": ""
     "skillType": "System",
     "isActive": true,
     "users": [
          "id": 17 ,
"username": "Userl",
          "dateAdded": "2025-06-12T09:01:32.269Z",
          "dateLastUsed": "2025-06-12T09:01:32.2692",
"dateExpires": "2025-06-12T09:01:32.2692"
       },
          "id": 165 ,
          "username": "QA User",
          "dateAdded": "2025-06-12T09:01:32.269Z",
          "dateLastUsed": "2025-06-12T09:01:32.2692",
"dateExpires": "2025-06-12T09:01:32.2692"
    ]
1
```

Unassign

The Skill– Unassign API call attempts to unassign a User from a Skill. Figure 3 shows the logic used within the Skill-Unassign API call.

Figure 3 - Logic within Skill-Unassign API Call



Prerequisites

When unassigning a User from a Skill, both the User and Skill must exist in Eyelit MES-M, and the given User should already be assigned to the Skill.

Request

Table 5 shows the method and endpoint required to make the API call to unassign a User from a Skill.

Table 5 - Outbound Message Detail for Skill- Unassign

Method	URL Structure	Endpoint			
PUT	https://[environment].mestec.net	/api/Skill/Unassign			

The body of the payload should follow the format displayed below:

See Table 6 for information on which fields are optional, the appropriate data types and the mappings to fields in Eyelit MES-M.

Table 6 - Parameter Information for Skill - Unassign

Parameter Name	Data Mapping	Data Type	Mandatory	Case Sensitive	Match Type
name	Skill.name	VARCHAR2(50)	Yes	No	Exact
User		JSON Array			

id	useraccount.id	Number	No	No	Exact
username	Useraccount.username	VARCHAR2(50)	Yes	No	Exact
dateAdded	User_skill.dateAdded	TIMESTAMP(6)	No	N/A	N/A
dateLastUsed	User_skill.dateLastUsed	TIMESTAMP(6)	No	N/A	
dateExpires	User_skill.dateExpires	TIMESTAMP(6)	No	N/A	

Sample Request

See below for a sample use case to unassign a User from a Skill. The sample provides an example of the JSON payload format required.

Response

When using the Skill – Unassign API call, if the User has been successfully unassigned from the Skill, a JSON payload will be returned containing data in the following structure:

Sample Response

See below for sample use cases with examples of the JSON payload format returned.