

10.1.10.3.0

22/07/2026 2:54 pm BST

Application Framework

Major Release Version

This version of the software is a major release. The prefix for the MES release has been changed from 10.0 to 10.1, making this release 10.1.10.3.0.

The releases contents can be accessed through the Install Logs page.

Install Logs		
Release ContentsProject Tasks		
Version	Installed	Release Contents
10.1.10.3.0	08/05/2026 13:25:59	117
10.0.10.2.0	24/03/2026 16:33:29	121
10.0.10.1.0	10/02/2026 12:58:53	181
10.0.9.5.0	09/01/2026 11:06:14	151


Standard Banner, Menu and Font Formatting

In this release, we standardised the visual presentation of the Eyelit MES UI to align with a defined cross-line-of-business design specification.

We have implemented a consistent UI framework for banner, menu, and typography across the application.

Key changes delivered:

- Standardised the UI menu and banner across the system so they match the Eyelit-wide design specification.
- Updated the font styling to ensure text is clear and easily readable across the application.
- Enforced formatting rules to prevent labels from wrapping mid-word, improving readability and visual consistency.
- Ensured grid headings wrap correctly, so column headers display cleanly without truncation or awkward breaks.



Assets

Work Centres Screen

We have improved the usability and filtering capability of the Work Centres screen to improve the ability to locate assets when asset tracking is enabled or disabled.

Additional filtering options have been introduced, improving field visibility, and standardising the layout to make it easier to locate and manage work centre records.

Work Centres

Search for the work centre here ...

Hide Inactive

Asset tracking on only

Work Centre Group

Department

Area

Search

New

Manage Groups

Name	Description	Asset Type	Area	Work Pattern	Is Active	Asset Tracking
! Amit Plan Workcentre	SU ! Amit Plan Workcentre Desc	! Amit Plan WC (Asset)	AJ Industries Department - AJ Group Area	AJ Group Patterns	Yes	Yes
! DW-ConcrtWC4Cn1	DES ! DW-ConcrtWC4Cn1	! DW-AsTy1	! DW-DharmeshDep - ! DW-Area1	Afternoon shift	Yes	Yes
! DW-ConcrtWC4UnCn	DES ! DW-ConcrtWC4UnCn	! DW-AsTy1	! DW-DharmeshDep - ! DW-Area2	Afternoon shift	Yes	Yes
***Test222 - Test Machine 1		***TEST2222-AT2221	***TEST2222-DEP2221 - ***TEST2222-AREA2221	Afternoon shift	Yes	Yes
AGD Work Center Test		AGD Asset type	AGD Department - AGD Area	Ajinkya Work Pattern	Yes	Yes
AJ New WC	AJ New WC Desc	AJ Asset	! DW-DharmeshDep - ! DW-Area1	***TESTxxx-WP1	Yes	Yes

Key changes delivered:

- Added an Asset Tracking filter next to *Hide Inactive* with the following options:
 - Asset tracking on and off.
 - Assettracking ononly.
 - Asset tracking off only.
- Addedadditionalfilters for:
 - Work Centre Group.
 - Department.
 - Area.

- Updated the grid to include Excel and CSV export buttons, allowing users to export the displayed data.
- Renamed 'Work Centre Group' to 'Primary Work Centre Group' across the screen and in the Create and Edit pop-up (workcentres can be assigned to many different workcentre groups but only one primary group)
- Updated the field order and visibility within the grid, ensuring:
 - Key fields such as Name, Description, Asset Type, Area, Work Pattern, Is Active, and Asset Tracking are visible.
 - Several fields, including SUID, Department, cost-related fields, capacity, efficiency, and operational constraints, are hidden by default.

Line Block Management

In [10.0.10.10](#) release we introduced the concept of line block, to allow the shopfloor estimated time for fix of an asset to be appropriately and automatically handled in the scheduling system.

In this release, we have enhanced the management of line block downtime by providing a more intuitive way to review and update estimated downtime end dates. It also improves access to current asset status information from the workstation interface.

Key changes delivered:

- Added a new 'Manage estimated downtime end date' option to the Asset Current Status screen. This option is available when the selected work centre is currently in a downtime asset status.
- Introduced a dedicated pop-up for managing downtime end dates. The pop-up displays the details of the current downtime status, while restricting editing so that only the Estimated End Date field remains editable. All other controls are read-only.

The screenshot displays the 'Current Asset Status Test' application. On the left, there is a sidebar with a list of assets, including 'Workcentre010', 'WorkCenterForLOC', 'AGD Work Center Test', 'AGD Work Centre', 'AJ New WC', 'AJ Workcentre', 'AJINKYATEST', 'APSO Car WC', 'APSO Chair Assembly W', and 'APSO WC 1'. The main area shows a form for 'Current Asset Status' with fields for 'Department', 'Area', and 'Device'. A pop-up window titled 'Change Estimated End Date' is open, showing details for the 'AJ New WC' asset. The pop-up includes fields for 'Status' (set to 'Broken Down'), 'Reason', 'Date' (01/07/2026 11:43), 'User' (Shane Adams), and 'Comments'. The 'Est End Dt' field is highlighted with a red border, indicating it is the only field that can be edited. The pop-up also has 'Change' and 'Cancel' buttons at the bottom right.

Improvements to Asset Current Status Management

- Updated the application so that Change Asset Status is only available when a work centre has been selected, either directly through the work centre selection or through a loaded job.
- Added a new Asset Current Status option to the Asset Management menu, providing direct access to the current asset status report.

- A print job transitions to Printed status and has a printed quantity greater than zero.
- A label is subsequently scrapped.
- Added recording of key audit information, including:
 - Printed quantities.
 - Scrapped quantities.
 - Reprinted quantities.
 - Reason codes and comments.
 - User information and timestamps associated with transactions.
- Implemented traceability links between related label transactions:
 - Reprint transactions reference the original print job.
 - Scrap transactions are linked to the originating print job.
- Added support for storing and displaying scanned label images as part of the audit record.
- Added additional detail information for:
 - Scan image date and time.
 - Scan image user information.

Contents Report

eCHR Content

Show Deleted ☐ No

eCHR Content

Refresh Finalise Report Preview Report

Section Sub Section

Line #	Config Name	Summary	Revision Reason	eSignatures	Created	Revision #
4	Label Print	Item Serial No: KX02_15 Label Design: AD-Design1 Print Type: Print Print Qty: 150 Scrap Qty: 15 Printer: Microsoft Print to PDF Print DT: 17/07/2026 09:51:33 Printed By: Gopal Gaurav	Updated	Not Required	17/07/2026 09:51	2

Revision: 3 (Latest) When: Gopal Gaurav When: 17/07/2026 07:07:09 Reason: Updated Content Formatted Content

eSignatures Not Available

Operation	Operation	Serial Num.	Print Type	Reprint Res.	Reprint Res.	Print Qty	Scrap	Printer	Print DT	Printed By	Data Field V.	Label Design	Label Design	Product Lab
10	AD-Machining	KX02_15	Print	[BLANK]	[BLANK]	150	15	Microsoft Print to PDF	17/07/2026 09:51	Gopal Gaurav	SQLPRODUCTNAM E=AD- Product_001, ScannerCode=123 45678, Text001=DEVTest, Text002=UAT Test	AD- Design1_00 2	4	4



12345678

DEVTest UAT Test

AD-Product_001

Printable Report

Config Name	Line Type	Details	Created	Last Edit User
Label Print	Label Print	Item Serial No: KX02_15 Label Design: AD-Design1_002 Print Type: Print Print Qty: 150 Scrap Qty: 15 Printer: Microsoft Print to PDF Print DT: 17/07/2026 09:51:33 AM Printed By: Gopal Gaurav	17/07/2026 09:51:34 AM	Gopal Gaurav

Operation Number	Operation Name	Serial Number	Print Type	Reprint Source	Reprint Reason	Print Qty	Scrap Qty	Printer	Print DT	Printed By	Data Field Values	Label Design Name	Label Design Version	Product Label Version
10	AD-	KX02_15	Print	[BLANK]	[BLANK]	150	15	Microsoft Print to PDF	17/07/2026 09:51:33 TT	Gopal Gaurav	SQLPRODUCTNAME=AD-Product_001, ScannerCode=12345678, Text001=DEVTest, Text002=UAT Test	AD-Design-PRODYes_002	4	4



12345678

DEVTest UAT Test

AD-Product_001

Label Printing

Product Label Version Notes

You can now add and manage notes against individual product label versions. This allows version-specific information, comments, or supporting details to be recorded directly against a product label version and maintained as part of the label management process.

A new Notes option is available when a product label version is selected. Users can:

- View existing notes for the selected product label version.
- Create new notes.
- Update existing notes.
- Delete notes that are no longer required.
- Archive notes to remove them from the active view while retaining the record.

Notes are stored against the specific product label version rather than the product label header, ensuring that information remains linked to the correct version. The Notes option is only available when a valid product label version is selected.

This enhancement provides better traceability and context for product label revisions by allowing important version-related information to be recorded and reviewed directly within the product label management process.

Multi-Select Label Printer Design assignment to Label Printers

You can now assign and unassign multiple label printers to a label design version in a single operation.

Label Printer

Device

Search

Search for a label printer here...

Search

Assign

Label Printer	Assigned
AGD Printer	Yes
JUI TEST PRINTER	Yes
Microsoft Print to PDF	Yes
NPI39509E (HP Color Laserjet MFP M377dw)	Yes
! DW-DellPrinter	No
70L_Updated Label Printer Alias_AutoTest	No
9P1_Label Printer Alias_AutoTest	No
AJ Label Printer	No
Ajinkya Printers	No
AK Test Printer	No
Amit Printer	No
Brother HL-L3210CW series	No
CGI_Label Printer Alias_AutoTest	No
D6E_Label Printer Alias_AutoTest	No
DEMO TEST printer	No

<< < > >>

Page 1 of 3

15 items per page

Previously, label design assignments to printers were limited to single selections, requiring users to repeat the assignment process for each printer. The label printer assignment dialog has been enhanced to support multi-selection, making it faster and easier to manage multiple printers that need to be assigned to a label design.

When managing label printer assignments, you can now:

- Select multiple unassigned label printers and assign them to a selected design version in one action.
- Select multiple assigned label designs and unassign them in one action.

Managing Approval Requests

The improvements that have been made focuses on two areas of label approval:

- Defining the need for an approval: Defines what needs to be approved, what are the spec documents, and who needs to approve it.
- Executing the approval: Collecting the evidence that the required tests were performed, collecting the signatures required to do the approval.

Defining an Approval Need

Label Approval Wizard

A new Label Approval Wizard has been introduced to simplify the creation and management of product label approvals.

The guided workflow allows users to:

- Create approvals.
- Assign multiple product label versions based on a single defined label design version.
- Generate and review label verification images.
- Attach supporting documentation.
- Complete approval setup through a single, structured process.

The wizard is available from the Label Design, Product Label Management, and Product Label Approvals screens, providing a consistent approval experience regardless of where the process is started. Users can also add product label versions to an existing draft approval, making it easier to manage and update approvals before they are submitted for sign-off.

Manage an Open Approval

You can now manage active product label approvals from a dedicated approval workflow.

Users can review approval information, submit responses, attach supporting evidence documents, view response history, and create notifications without leaving the approval process.

Additional shortcuts and document viewing capabilities make it easier to review supporting information and

compare approval-related documents during the approval lifecycle.

The screenshot shows the 'Manage Approval Request' window. At the top, there's an 'Approval Summary' section with tabs for 'View Label Design', 'View Product Label', and 'Images & Docs'. Below this, a summary box displays: 'Change Reference: 10.3_OR3 by DM', 'Product Label Version: 1', 'Approval ID: 134', 'Label Design: LAST DESIGN (x: 1)', 'Supporting Documents: 5', and 'Approval Status: Pending Approval'. A progress bar shows 2 Approved, 0 Pending, and 1 Rejected. The 'Approval Requirements' section contains a table with columns: Requirement, Permission Required, Status, Notification Status, Dispatched By, Evidence Documents, No. of Revision, and Comments.

Requirement	Permission Required	Status	Notification Status	Dispatched By	Evidence Documents	No. of Revision	Comments
Marketing	Carls Label Approval Marketing	Approved	Last Sent On 1A, 2026	Chambers (T - 07 Jul	Yes	3	Approve with docx test - save sign success
Regulatory	Carls Label Approval Regulatory	Approved	Last Sent On 1A, 2026	Chambers (T - 07 Jul	No	3	Without doc Approval test - sign save success
R&D	Carls Label Approval R&D	Rejected	Last Sent On 1A, 2026	Chambers (T - 07 Jul	No	3	Reject test - Doc REMOVED test - sign save success

Buttons at the bottom: Approve Approval, Final Sign PDF, Cancel.

Executing an Approval

Managing approvals include engagement with the Management Approval Request screen which allows users to carry out several functions discussed below.

Attach Supporting Product Documents to Label Approvals

You can now attach or link product documents to a product label approval. Supporting documents, such as label specifications, can be referenced during the approval process, giving approvers direct access to relevant documentation when reviewing and approving labels. Product documents can be linked from existing records or uploaded directly as part of the approval workflow.

Compare approval images, reference documents, and approval evidence side by side


A new Images & Documents view has been added to Product Label Approvals, allowing users to display and compare any two approval-related images or documents side by side.

The screenshot shows the 'Images & Documents' window with two panels, A and B. Each panel has dropdowns for 'Document Purpose' (Approval Evidence), 'Document Type' (Production Manager), 'Created By' (Peter Skowrocz MESTEC m...), and 'Document Name' (Test (V - 1.0)). Below the panels are two identical 'BarTender Setup' windows showing the 'Installing BarTender' progress bar with the status 'Copying new files'. Buttons at the bottom of the setup windows are '< Back', 'Install', and 'Cancel'.

Each panel can be configured independently, enabling users to compare approval images, reference images, reference documents, and approval response attachments within the same screen.

Attach Reference Documents to a Label Approval Response

Approvers can now attach reference documents to their response when approving or rejecting a product label approval requirement. This allows supporting evidence, review notes, and other relevant documentation to be linked directly to the approval decision, improving traceability throughout the approval process.



Users can link one or more existing documents and select a specific document version for each attachment. To ensure the approval record remains accurate and auditable, only versioned documents can be attached, and the system prevents the same document version from being linked more than once to the same approval response. Attached reference documents are available when reviewing the approval, providing approvers and reviewers with direct access to the evidence associated with each approval decision. Approvals can still be completed with or without attached reference documents, allowing organisations to use the feature where supporting evidence is required by their business processes.

Validate Literal Value Length Against Label Field Max Length

Validation has been added to label design fields to prevent literal values from exceeding the maximum length defined for the corresponding label field.

Label Fields							
This label design version is referenced by a product label that is not in draft or is not obsolete. Only label design name can be changed.							
Bartender Field Name	SQL Field Name	Max Length	Source	Literal Text/Value	Test Print Default Value	Live Print Default Value	
BARCODE		10	Prompt		111222333	333222111	
IMAGE			ProductLabelData				
PRODESCSQL	PRODUCTDESCRIPTION		SQL		PRODUCTDESCRIP...	PRODUCTDESCRIP...	
PRODLABELDATA		20	ProductLabelData				
PRODSQL	PRODUCT		SQL		PRODUCT	PRODUCT	
TEXT		6	Literal	DWLLIT1			
VERSION			Prompt		10.x.0	10.0.0	

When label fields are generated from a BarTender template, users can configure literal values for those fields. The system now validates the length of the literal value against the field's maximum length and prevents the configuration from being saved if the value exceeds the allowed limit.

With this enhancement:

- A validation message is displayed when a literal value exceeds the configured maximum length of the label field.
- Invalid values cannot be saved until the length is reduced to comply with the field constraint.
- Blank literal values remain invalid and can be saved, as no minimum length requirement is enforced.

This improvement helps identify configuration issues during label design setup, reducing the risk of label printing errors caused by values that exceed the limits defined in the label template.

Quality

Check List Decimal Place Enforcement

In some environments the results recorded by an operator are invalid if insufficient decimal places have been recorded.

The requirement for this functionality can be explained in the example below.

Check step has a target of 1.35 and a USL of 1.40 and requires 2dp.

Operator enters a result in a check step of 1.4 this could in theory mean an actual result anywhere between 1.35 (OK) and 1.44 (Not OK). If the real result is 1.41 and the decimal places are not enforced the operator can enter 1.4 (which without dp enforcement could have been recorded as 1.40), which in theory could be interpreted as a pass. To prevent this non-conformance happening, the operator needs to be forced to enter 1.41, not 1.4.

A new Enforce Decimal Places option has been added to check item configuration, giving you greater control over the precision of numeric values entered during checklist activities.

The enhancement helps ensure that measurement results are recorded with the required level of accuracy. In scenarios where a specific number of decimal places is required, operators can now be prevented from entering values with insufficient precision, reducing the risk of inaccurate pass/fail evaluations.

New Check Item Template

Input Control Type

Product Type

Critical No

Active Yes

Controlled No

eSign Permission

Default Specification

Warning : creation of this check item template will automatically create a corresponding specification for all existing products of the types specified and will require the specified eSignature permission to complete (if populated above) the specifications for each product will match any default values entered below.

Decimal Places

Unit

Absolute Max

Upper Spec Limit

Target Value

Lower Spec Limit

Absolute Min

☒ Enforce Decimal Places

Save Cancel

Key changes include:

- A new Enforce Decimal Places checkbox has been added to check item templates and product specifications.
- A Required Decimal Places indicator is now displayed within the workstation checklist action screen alongside the acceptance criteria.

- The indicator is displayed in bold when decimal place enforcement is enabled, making the requirement more visible to operators.

When Enforce Decimal Places is enabled:

- Operators must enter values using the specified number of decimal places.
- Values that do not meet the required precision are not accepted.

When Enforce Decimal Places is disabled:

- Operators can enter values with any number of decimal places.


Reporting

Pay Window on Unbooked Time Dashboard

When looking at labour productivity, unbooked time is an important loss to quantify but it can also be important to distinguish between paid unbooked time and unpaid unbooked time.

For example, an operator arrives 15 minutes before their shift time – they are auto clocked into the system as they arrive and go to the locker room to get changed, arriving on the line at the start of the shift. This 15 mins unbooked time is a real unbooked time but it is unpaid and so is not a monetary loss.

The Unbooked Time Dashboard now includes a Pay Window filter that allows you to switch between viewing all unbooked time and only unbooked time that falls within paid working hours.



A new drop-down list is available alongside the existing dashboard filters with the following options:

- **UnbookedAll (default):** Dashboard displays all unbooked time, including time outside an employee's paid shift.
- **PaidUnbookedOnly:** Dashboard charts and calculations include only unbooked time that occurs within the employee's paid working hours.


Cycle Time Dashboard

The Cycle Time dashboard has been redesigned to improve usability and visibility in shop floor environments.

The cycle time dashboard is designed for long running operations (e.g. moulding operations) and displays the actual output rate vs the expected rate based on work centre standard time.

For example, an operation is running for a job to make 5000 units. The standard time is 1 unit per minute. After 1 hour the expected output is 60, but the actual output is 50, so the cycle time dashboard will display red (behind expected).

The lefthand side of the dashboard displays summary information for the operation in total, the right-hand side looks at current performance within the current hour window.



The dashboard has been renamed Cycle Time by Work Centre / Order and updated to present key production information more clearly on a single screen. The layout has been optimised so that dashboard content fits onto one page, making it easier to view on wall-mounted displays and shared production screens.

Key enhancements include:

- A searchable Work Centre filter that supports single selection.
- A display of the order number and operation filters. These filters are shown only when multiple orders or operations are associated with the selected work centre.
- A new Graphs for last [X] hours field, allowing users to define the reporting period.
- Updated summary information and dashboard layout for improved readability.

The dashboard graphs have also been enhanced to make production trends easier to interpret:

- Larger, more prominent graph titles.
- Improved axis labels and legends for better visibility.
- New axis titles: Qty Complete on the Y-axis and Hour Commencing on the X-axis.
- Hourly data points are now displayed for every hour in the selected period, including hours with no completions, providing a more complete view of production activity.